

Descriptions of the digital led rigid video bar

Brilliant and bright colours come to you with the LED rigid bar. Clubs, bars, shops and stages are the ideal locations for this slender instrument.

It is also the perfect device for interesting light creations in your own rooms. LEDs have a high performance, are very bright and shed a strong and intense light.

This is naturally also true for the LED rigid bar. This is only a fraction of LED's longevity, which can bring you approx. 50.000 hours of light. The LEDs in the LED rigid bar consume only little energy.

Additionally, they dissipate only little heat. This is not only good for your energy balance, it is also good for the environment.

Specification

Product Name	LED Pixel Bar
Input Voltage	DC24V
Max Power	19.2W
Qty of LED	64LEDs/m
Pixels	64Pixel
View Angel	120°
IC	WS2813
LED Tpye	5050 RGB
Protection Rate	IP40 IP65 IP68
Model	RL-5050RGB64-WS2813B
Colors	Full color RGB, dream color changing

Advantages

1. Support online control
2. Energy saving
3. Low heat-release
4. Elegant Appearance
5. Mounts Easily with Keyhole Mount,encased in Rugged ,aluminium extrusion

Applications

1. Holiday decoration lighting, Christmas party, holiday time, anywhere you want to produce a particularly eye-catching display.
2. Market Engineering lighting, architectural decoration, decoration of trees along streets, parks, urban night lighting.
3. Attractions landscaping, gardening, community night crystal decoration, hotels, shopping malls, night entertainment.

Product details

LED Video rigid bar

Milky White Circular Tube

Milky White Square Tube

1020 mm

1020 mm

Black / White / Transparent Plastic Sheet

Accessory

Connecting rod

Any angle connector

Multiple Hexagon connector

Multiple + mode connecto

Multiple T mode connector

Multiple Y mode connector

Multiple 120° L mode conn

Multiple 90° L mode conn

Multiple Long three-dimens

360°

360° Mounting

Connector pin map

Easy connect




Pro Light For Stage Rental



SIZE: 2.5m*2.3m

27 pcs
0.5m LED bar



SIZE: 2.2m*0.56m
*2.2m

105 pcs
0.5m LED bar



pcs 0.5m LED bar



Art-net controller



multiple connectors

More details:



Rose Lighting
rose-lighting.com



Rose Lighting
rose-lighting.com



For the stage

Milky

Led video rigid bar

DC24v

64LED

64Pixel

30mm



18mm

1000 mm

Connector pin map

male

female

